

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library O The Guide

star schema and data model



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survev

Terms used star schema and data model

Found **79,146** of **157,956**

Sort results by

Best 200 shown

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form

Open results in a new window

next Relevance scale 🔲 📟 📟 📟

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10

starER: a conceptual model for data warehouse design

Nectaria Tryfona, Frank Busborg, Jens G. Borch Christiansen

November 1999 Proceedings of the 2nd ACM international workshop on Data warehousing and OLAP

Full text available: pdf(742.63 KB)

Additional Information: full citation, abstract, references, citings, index

Modeling data warehouses is a complex task focusing, very often, into internal structures and implementation issues. In this paper we argue that, in order to accurately reflect the users requirements into an error-free, understandable, and easily extendable data warehouse schema, special attention should be paid at the conceptual modeling phase. Based on a real mortgage business warehouse environment, we present a set of user modeling requirements and we discuss the involved concepts. Under ...

Keywords: ER model, conceptual modeling, data warehouse, star structure

² A tightly coupled approach to design and data management

Flávio R. Wagner, Lia G. Golendziner, Miguel R. Fornari

September 1994 Proceedings of the conference on European design automation

Full text available: Pt pdf(794.13 KB) Additional Information: full citation, references, citings, index terms

A comparison of data warehousing methodologies

Arun Sen, Atish P. Sinha

March 2005 Communications of the ACM, Volume 48 Issue 3

Full text available: pdf(117.81 KB) 3 html(28.41 KB)

Additional Information: full citation, abstract, references, index terms

Using a common set of attributes to determine which methodology to use in a particular data warehousing project.

Designing data marts for data warehouses

October 2001 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 10 Issue 4

Full text available: pdf(203.43 KB)

Additional Information: full citation, abstract, references, index terms, review

Data warehouses are databases devoted to analytical processing. They are used to support decision-making activities in most modern business settings, when complex data sets have to be studied and analyzed. The technology for analytical processing assumes that data are presented in the form of simple data marts, consisting of a well-identified collection of facts and data analysis dimensions (star schema). Despite the wide diffusion of data warehouse technology and concepts, we still miss me ...

Keywords: conceptual modeling, data mart, data warehouse, design method, software quality management

5 Dynamic maintenance of multidimensional range data partitioning for parallel data processing



Junping Sun, William I. Grosky

November 1998 Proceedings of the 1st ACM international workshop on Data warehousing and OLAP

Full text available: pdf(1.09 MB)

Additional Information: full citation, references, index terms

6 Deriving initial data warehouse structures from the conceptual data models of the underlying operational information systems



Michael Boehnlein, Achim Ulbrich-vom Ende

November 1999 Proceedings of the 2nd ACM international workshop on Data warehousing and OLAP

Full text available: pdf(1.40 MB)

Additional Information: full citation, abstract, references, citings, index terms

In recent years the construction of large scale data schemes for operational systems has been the major problem of conceptual data modeling for business needs. Multidimensional data structures used for decision support applications in data warehouses have rather different requirements to data modeling techniques. In case of operational systems the data models are created from application specific requirements. The data models in data warehouses base on the analytical requirements of the use ...

Keywords: conceptual data model, data warehouse, decision support system, entity relationship model (ERM), snowflake scheme, star scheme, structured entity relationship model (SERM)

7 A strategy for the integration of object-oriented data modeling into the undergraduate database course



Bruce J. Neubauer

March 2001 Journal of Computing Sciences in Colleges, Volume 16 Issue 3

Full text available: pdf(67.38 KB)

Additional Information: full citation, abstract, references, citings, index terms

Computer programming and business-systems design are increasingly embracing the object paradigm. It is important that students learn both traditional methods and object methods in the undergraduate database course. Object-oriented concepts such as generalization hierarchies and aggregation require a substantially different mindset than does the traditional course content. Most database textbooks are attempting to integrate the presentation of the traditional and the object-oriented concepts. ...

Event-entity-relationship modeling in data warehouse environments Lars Bækgaard



November 1999 **Proceedings of the 2nd ACM international workshop on Data** warehousing and OLAP

Full text available: pdf(634.98 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

We use the event-entity-relationship model (EVER) to illustrate the use of entity-based modeling languages for conceptual schema design in data warehouse environments. EVER is a general-purpose information modeling language that supports the specification of both general schema structures and multi-dimensional schemes that are customized to serve specific information needs. EVER is based on an event concept that is very well suited for multi-dimensional modeling because measurement data oft ...

Keywords: data warehousing, event modeling, information modeling, multi-dimensional modeling, star schemes

9 Physical design: Physical modeling of data warehouses using UML

Sergio Luján-Mora, Juan Trujillo

November 2004 Proceedings of the 7th ACM international workshop on Data warehousing and OLAP

Full text available: pdf(640.48 KB) Additional Information: full citation, abstract, references, index terms

During the few last years, several approaches have been proposed to model different aspects of a Data Warehouse (DW), such as the conceptual model of the DW, the design of the ETL (Extraction, Transformation, Loading) processes, the derivation of the DW models from the enterprise data models, etc. At the end, a DW has to be deployed to a database environment and that takes many decisions of a physical nature. However, few efforts have been dedicated to the modeling of the physical design (i.e...

Keywords: UML, component, configuration, data warehouse, deployment, physical design

10 <u>Industrial sessions: commercial implementation techniques: Efficient execution of joins</u> in a star schema

Andreas Weininger

June 2002 Proceedings of the 2002 ACM SIGMOD international conference on Management of data

Full text available: pdf(349.43 KB) Additional Information: full citation, abstract, references, index terms

A star schema is very popular for modeling data warehouses and data marts. Therefore, it is important that a database system which is used for implementing such a data warehouse or data mart is able to efficiently handle operations on such a schema. In this paper we will describe how one of these operations, the join operation --- probably the most important operation --- is implemented in the IBM Informix Extended Parallel Server (XPS).


11 An overview of data warehousing and OLAP technology

Surajit Chaudhuri, Umeshwar Dayal

March 1997 ACM SIGMOD Record, Volume 26 Issue 1

Full text available: pdf(101.60 KB) Additional Information: full citation, abstract, citings, index terms

Data warehousing and on-line analytical processing (OLAP) are essential elements of decision support, which has increasingly become a focus of the database industry. Many commercial products and services are now available, and all of the principal database management system vendors now have offerings in these areas. Decision support places some rather different requirements on database technology compared to traditional on-line transaction processing applications. This paper provides an overview ...



12 A horizontal fragmentation algorithm for the fact relation in a distributed data warehouse



Amin Y. Noaman, Ken Barker

November 1999 Proceedings of the eighth international conference on Information and knowledge management

Full text available: pdf(986.60 KB)

Additional Information: full citation, abstract, references, citings, index terms

Data warehousing is one of the major research topics of appliedside database investigators. Most of the work to date has focused on building large centralized systems that are integrated repositories founded on pre-existing systems upon which all corporate-wide data are based. Unfortunately, this approach is very expensive and tends to ignore the advantages realized during the past decade in the area of distribution and support for data localization in a geographically dispersed corporate s ...

Keywords: distributed data warehouse architecture, distributed data warehouse design, horizontal fragmentation

13 Industrial sessions: big data: TPC-DS, taking decision support benchmarking to the next level



Meikel Poess, Bryan Smith, Lubor Kollar, Paul Larson

June 2002 Proceedings of the 2002 ACM SIGMOD international conference on Management of data


Full text available: pdf(645.38 KB)

Additional Information: full citation, abstract, references, citings, index terms

TPC-DS is a new decision support benchmark currently under development by the Transaction Processing Performance Council (TPC). This paper provides a brief overview of the new benchmark. The benchmark models the decision support functions of a retail product supplier, including data loading, multiple types of queries and data maintenance. The database consists of multiple snowflake schemas with shared dimension tables; data is skewed; and the query set is large. Overall, the benchmark is conside ...

Keywords: TPC, benchmark, data warehouse, decision support, performance evaluation

¹⁴ Modelling stars using XML



November 2001 Proceedings of the 4th ACM international workshop on Data warehousing and OLAP

Full text available: pdf(2.29 MB)

Additional Information: full citation, abstract, references, index terms

We suppose collections of XML data described by Document Type Definitions (DTDs). This data has been generated by applications and plays a role of OLTP database(s). A star schema, a well-known technique used in data warehousing, can be applied. Then dimension information is supposed to be contained in XML data. We will use the notions of subDTD and view, and formulate referential integrity constraints in XML environment. We use simple pattern matching capabilities of current XML query languages ...

Keywords: XML, data warehouse, dimension, star schema

15 Articles: Reconsidering Multi-Dimensional schemas

Tim Martvn

March 2004 ACM SIGMOD Record, Volume 33 Issue 1



Full text available: pdf(163.67 KB) Additional Information: full citation, abstract, references, citings

This paper challenges the currently popular "Data Warehouse is a Special Animal" philosophy and advocates that practitioners adopt a more conservative "Data Warehouse=Database" philosophy. The primary focus is the relevancy of Multi-Dimensional logical schemas. After enumerating the advantages of such schemas, a number of caveats to the presumed advantages are identified. The paper concludes with guidelines and commentary on implications for data warehouse design methodologies.

16 Physical design: Handling big dimensions in distributed data warehouses using the DWS technique



Marco Costa, Henrique Madeira

November 2004 Proceedings of the 7th ACM international workshop on Data warehousing and OLAP

Full text available: 📆 pdf(288.33 KB) Additional Information: full citation, abstract, references, index terms

The DWS (Data Warehouse Striping) technique allows the distribution of large data warehouses through a cluster of computers. The data partitioning approach partition the facts tables through all nodes and replicates the dimension tables. The replication of the dimension tables creates a limitation to the applicability of the DWS technique to data warehouses with big dimensions. This paper proposes a strategy to handle large dimensions in a distributed DWS system and evaluates the proposed str ...

Keywords: data warehousing, distributed query execution

17 Reports: Report on the ACM fourth international workshop on data warehousing and OLAP (DOLAP 2001)



Joachim Hammer

June 2002 ACM SIGMOD Record, Volume 31 Issue 2

Full text available: pdf(413.34 KB) Additional Information: full citation, abstract

The Fourth Annual ACM International Workshop on Data Warehousing and Online Analytical Processing (DOLAP 2001) was held in Atlanta, GA, USA, in November 2001, in conjunction with the Tenth International Conference on Information and Knowledge Management (CIKM 2001). Although this was only the fourth annual meeting, DOLAP has already become an important and broadly accepted forum for researchers and practitioners to share their findings in theoretical foundations, current methodologies, practical ...

18 Workshop reports: Report on the ACM fourth international workshop on data warehousing and OLAP (DOLAP 2001)



Joachim Hammer

April 2002 ACM SIGIR Forum, Volume 36 Issue 1

Full text available: pdf(105.96 KB) Additional Information: full citation

19 On relationships offering new drill-across possibilities

Alberto Abelló, José Samos, Fèlix Saltor

November 2002 Proceedings of the 5th ACM international workshop on Data Warehousing and OLAP

Full text available: pdf(236.84 KB)

Additional Information: full citation, abstract, references, citings, index terms

OLAP tools divide concepts based on whether they are used as analysis dimensions, or are the fact subject of analysis, which gives rise to star shape schemas. Operations are always provided to navigate inside such star schemas. However, the navigation among different

stars is usually overlooked. This paper studies different kinds of Object-Oriented conceptual relationships (part of UML standard) between stars (namely *Derivation*, *Generalization*, *Association*, and *Flow*) ...

Keywords: UML, drill-across, multidimensional design, semantics

²⁰ XPS a database server for data warehousing

Andreas Weininger

November 2001 Proceedings of the 4th ACM international workshop on Data warehousing and OLAP

Full text available: pdf(621.63 KB) Additional Information: full citation, abstract, citings, index terms

A database server used for implementing a data warehouse must support other features than a database server used for OLTP. Therefore, in this paper we will look specifically at features necessary for efficiently processing queries on a database with a star schema model, a database scheme which is used very often in data warehousing. We will especially analyze the features provided for this by the IBM Extended Parallel Server (XPS). There are special star join methods like the Push-Down Hash Semi ...

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Mindows Media Player Real Player